

F.No.6/12/2019-DGTR
Government of India
Ministry of Commerce & Industry
Department of Commerce
Directorate General of Trade Remedies
4th Floor, Jeevan Tara Building, Parliament Street, New Delhi

Dated 14.08.2019

Subject: Anti-dumping investigation concerning imports of Flat Rolled Products of Stainless Steel from China PR, Korea RP, European Union, Japan, Taiwan, Indonesia, USA, Thailand, South Africa, UAE, Hong Kong, Singapore, Mexico, Vietnam and Malaysia.

To,
All the interested parties,

This has reference to the subject anti-dumping investigation initiated by the Directorate General of Trade Remedies (DGTR) on 3rd July, 2019.

2. After taking views and comments of all the interested parties on the PCN methodology proposed in the initiation notification, it has been decided to adopt the PCN Methodology as under:

SN	Description	PCN	Code
1	Product type	Hot Rolled, Cold Rolled, Hot Rolled Annealed & Pickled, Cold Rolled Annealed & Pickled	1 2 3 4
2	Grade of the product	201 202 216 301 304 304L 309 310/S 316 316/L 405 409 410 410/S 415	201 202 216 301 304 304L 309 310/S 316 316/L 405 409 410 410/S 415

		420 430 432 436 439 441 444 446 DUPLEX Others – please specify Special – please specify	420 430 432 436 439 441 444 446 DUP ORS SPC
3	Form of the product	Coil Plate/Sheet Strips Punched coil Reversing mill plate Quarto plates Circles Others – please specify	1 2 3 4 5 6 7 8
4	Width of the product	Of a width below 600 mm Of a width 600 mm or more but upto 1250mm Of a width more than 1250mm but upto 1650mm Of a width more than 1650mm	1 2 3 4
5	Thickness	A HOT ROLLED Of a thickness of less than 0.35 mm Of a thickness of 0.35 mm and above but less than 0.56 mm Of a thickness of 0.56 mm and above but less than 0.9 mm Of a thickness of 0.9 mm and above but less than 3 mm Of a thickness of 3 mm and above but less than 4.75 mm Of a thickness of 4.75 mm and above but less than 10 mm Of a thickness of 10 mm and above but not exceeding 14 mm Of a thickness exceeding 14 mm B COLD ROLLED or COLD REDUCED Of a thickness of less than 0.5 mm Of a thickness of 0.5 mm and above but less than 1 mm	1 2 3 4 5 6 7 8 9 10 11

		Of a thickness of 1 mm and above but less than 3 mm	12
		Of a thickness of 3 mm and above but less than 4.75 mm	13
		Of a thickness of 4.75 mm and above but not exceeding 14 mm	14
		Of a thickness exceeding 14 mm	
6	Finish of the product	No special finish	1
		Special finish – pl. specify special finish in separate column	2

Note – The grades specified above at Row 2 are Indian standards. Wherever a product has been exported adopting a specification other than the Indian standards, the equivalent grade of Indian standards should be specified.

For example, consider the following illustrations

1. A Hot Rolled Annealed & Pickled, 202 grade, circle of below 600 mm having a thickness of 0.58 with scotch brite finish shall be specified as 32027132. Further “Scotch brite” may be specified in a separate column
2. A Cold Rolled Annealed & Pickled, 316L grade, strip of below 600 mm having a thickness of 0.8 with 2B finish shall be specified as 4316L31102. Further “2B” may be specified in a separate column.

All the interested parties are required to submit their questionnaire response along with PCN wise information latest by 19th September, 2019 based on the above methodology.



(Mithileshwar Thakur)
Additional Director General
Tel No 011-23408729